

AENOR

ENEC Certification Body registered under ID # 01. For further information, please consult www.enec.com

LICENCE

to use the European Mark



Licence Nr. ENEC/001071

Under the conditions given in the following pages of this document, the licence to use the ENEC Mark in conjunction with the suffix 01, as shown above, has been issued to:

ARKOSLIGHT, S.L.
PI EL OLIVERAL, CL. N
46394 RIBARROJA DEL TURIA (Valencia – España / Spain)

For the product(s):

Fixed general purpose luminaires

Trade name(s):

ARKOSLIGHT

Complying with the following European Standards:

EN IEC 60598-1:2021; EN IEC 60598-1:2021/A11:2022;
EN IEC 60598-2-1:2021

Date: 2024-04-02

Signature:

A handwritten signature in blue ink, appearing to read 'Rafael García', with a long horizontal stroke extending to the right.

Name: Rafael García

Position: Chief Executive Officer

This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

AENOR CONFÍA, S.A.U.
Cl Génova, 6
28004 MADRID (Spain)

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type of Product	FIXED GENERAL PURPOSE LUMINAIRES
r1) Certificate n°	ENEC/001071
r2) Date of the Certificate	2024-04-02
r3) report n°	2023090475B1-II, 2024020068B1, 2023090475B1-III
r4) Name and address of the licensee	ARKOSLIGHT, S.L. PI EL OLIVERAL, CL. N 46394 RIBARROJA DEL TURIA (Valencia - España / Spain)
r5) Address of the factory	PI EL OLIVERAL, CL. N 46394 RIBARROJA DEL TURIA (Valencia - España / Spain)
r6) European Standard	EN IEC 60598-1:2021; EN IEC 60598-1:2021/A11:2022; EN IEC 60598-2-1:2021
r7) Type reference	See above for details
r8) Trade mark	ARKOSLIGHT
r9) Rated voltage and frequency	See above for details
r10) N° of lamps and rated wattage	See above for details
r11) Type of lamps and lampholder	See above for details
r12) Degree of protection (IP)	IP 20
r13) Power supply connection means	See above for details
r14) Class. respect supporting material	Apta para superficies normalmente inflamables suitable for normally flammable surfaces
r15) Protection against electric shock (class)	See above for details
r16) Limitations	Montaje horizontal horizontal fixing
r17) Additional data	See above for details
Date of expiry: 2029-04-02	This certificate supersedes certificate 007/001071, dated 2022-06-29.

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Rated voltage and frequency	Nº of lamps and rated wattage	Type of lamps and lampholder	Power supply connection means	Protection against electric shock (class)	Additional data
SHOT LIGHT M SURFACE A396-00	MBTS SELV	1 x 12,4 W, 350 mA max	LED (COB)	Bornes terminals	Clase III class III	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable; corriente constante constant current
SHOT LIGHT S SURFACE A486-00	MBTS SELV	1 x 9 W, 700 mA max	LED (COB)	Bornes terminals	Clase III class III	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable; corriente constante constant current
SIX L A329-0	48 V=	1 x 24,5 W max.	LED	Bornes terminals	Clase III class III	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable
SIX L 1 A286-11	220-240 V~ 50/60 Hz	1 x 11,5 W max.	LED	Adaptador a carril track adaptor	Clase II class II	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable
SIX L 2 A286-2	220-240 V~ 50/60 Hz	1 x 24,5 W max.	LED	Adaptador a carril track adaptor	Clase II class II	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Rated voltage and frequency	N° of lamps and rated wattage	Type of lamps and lampholder	Power supply connection means	Protection against electric shock (class)	Additional data
SIX M A330-0	48 V=	1 x 17 W max.	LED	Bornes terminals	Clase III class III	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable
SIX M 1 A331-11	220-240 V~ 50/60 Hz	1 x 11,5 W max.	LED	Adaptador a carril track adaptor	Clase II class II	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable
SIX M 2 A331-2	220-240 V~ 50/60 Hz	1 x 17 W max.	LED	Adaptador a carril track adaptor	Clase II class II	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable
SIX S A333-0	48 V=	1 x 8,5 W max.	LED	Bornes terminals	Clase III class III	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable
SIX XS A335-0	48 V=	1 x 4,5 W max.	LED	Bornes terminals	Clase III class III	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable
SIX XS A335-1 DOUBLE	48 V=	2 x 4,5 W max.	LED	Bornes terminals	Clase III class III	2700K, 3000K, 4000 K; no regulable y regulable non-dimmable and dimmable

AENOR CONFÍA, S.A.U.

Génova, 6. 28004 Madrid. Spain

Tel. +34 91 432 60 00 –

www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR275

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Rated voltage and frequency	N° of lamps and rated wattage	Type of lamps and lampholder	Power supply connection means	Protection against electric shock (class)	Additional data
ZEN LED 1 A283	220-240 V~ 50/60 Hz	1 x 12W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non-dimmable and dimmable
ZEN LED 2 A283	220-240 V~ 50/60 Hz	1 x 17W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non-dimmable and dimmable
ZEN LED 3 A283	220-240 V~ 50/60 Hz	1 x 23 W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non-dimmable and dimmable
ZEN TUBE SURFACE 1 A284	220-240 V~ 50/60 Hz	1 x 12 W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non-dimmable and dimmable
ZEN TUBE SURFACE 2 A284	220-240 V~ 50/60 Hz	1 x 17 W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non-dimmable and dimmable
ZEN TUBE SURFACE 3 A284	220-240 V~ 50/60 Hz	1 x 23 W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non-dimmable and dimmable
ZEN TUBE 1 A284	220-240 V~ 50/60 Hz	1 x 12 W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non-dimmable and dimmable

AENOR CONFÍA, S.A.U.

Génova, 6. 28004 Madrid. Spain

Tel. +34 91 432 60 00 –

www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR275

CERTIFICATE OF THE ENEC EUROPEAN MARK

Type reference	Rated voltage and frequency	N° of lamps and rated wattage	Type of lamps and lampholder	Power supply connection means	Protection against electric shock (class)	Additional data
ZEN TUBE 2 A284	220-240 V~ 50/60 Hz	1 x 17 W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non- dimmable and dimmable
ZEN TUBE 3 A284	220-240 V~ 50/60 Hz	1 x 23 W max	LED	Bornes terminals	Clase II class II	3000K, 4000K; no regulable y regulable non- dimmable and dimmable